

Our Advantages

- Four**
- ▶ JINXIN can provide you the best quality balustrade solution, value for money and excellent personal service.
 - ▶ JINXIN offers you the DIY design to meet your special requirements. And do the best to satisfied the customers.
 - ▶ With JINXIN hard-working and diligent teams, we ensure that your order arrives at the agreed time and at very competitive prices.
 - ▶ JINXIN guarantees that our customers receive top quality products, which all meet the highest international quality standards.



JINXIN HARDWARE HARDWARE PRODUCTS MANUFACTORY

TEL:86-20-86910211 FAX:86-20-86852230

WEB:www.doorware.net

MSN:yongshun7777@hotmail.com

EMAIL:sales@doorware.net, doorware@gmail.com

ADDRESS:Dayun Industrial Area, Pingbu Road, Yangwu, Shiling Town, Huadu District, Guangzhou, China.




JINXIN Railing System

We offer the standard system for your choice.
Difficult becomes simple and easy.

Round Channel Pipe And Fittings Handrail System


- ▶ Stainless channel pipe with fittings for top handrail pipe.
- ▶ Hold tempered safety glass such as 10mm,12mm,15mm,19mm.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the glass fence of swim pool, balcony, deck, etc.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISB04	AISB16		
Top Glass Handrail Pipe	YK-9352	42.4*1.5*(24*24)	Satin(240#)				
Corner Channel Elbow 1	YK-9491	42.4*1.5*(24*24)	Satin(240#)				
Corner Channel Elbow 2	YK-9492	42.4*1.5*(24*24)	Satin(240#)				
Middle Channel Connector	YK-9493	42.4*1.5*(24*24)	Satin(240#)				
End Channel Cap	YK-9494	42.4*1.5*(24*24)	Satin(240#)				
Rubber For Glass(8~10.76)	YK-935A	24*30*8	Black/Clear				
Rubber For Glass(12~16.76)	YK-935A2	24*30*12	Black/Clear				
Rubber For Glass(17~18.76)	YK-935A3	24*30*17	Black/Clear				
Rubber For Glass(19-21.76)	YK-935A4	24*30*21	Black/Clear				

Square Channel Pipe & Fittings Handrail System(NEW)


- ▶ Square stainless channel pipe with fittings for top handrail pipe.
- ▶ Holding tempered safety glass such as 10mm,12mm,15mm,19mm.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the glass fence of swim pool, balcony, deck, etc.



DESCRIPTION	CODE	SPECS(mm)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISB04	AISB16		
Top Glass Square Pipe	YK-93530	25*20*1.5	Satin(240#)				
Corner Active Elbow	YK-94440	25*20*1.5	Satin(240#)				
Corner Fixed Elbow	YK-94440A	25*20*1.5	Satin(240#)				
Middle Connector	YK-94930	25*20*1.5	Satin(240#)				
End Cap	YK-94940	25*20*1.5	Satin(240#)				
End Cap To Wall With L&R Rings	YK-94940A	25*20*1.5	Satin(240#)				
Rubber For Glass(9.76~10)	YK-935A	25*20*1.11	Black/Clear				
Rubber For Glass(11.76~12)	YK-935A	25*20*1.5	Black/Clear				

H:600MM Channel Pipe Post System(NEW)


- ▶ Dia:50.8*H:600MM Round Channel Pipe Post.
- ▶ The slot is 15*15mm and top cap can be dome and flat .
- ▶ It can be hold tempered safety glass such as 10mm,12mm,15mm.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the glass fence of swim pool, balcony, deck, etc.



DESCRIPTION	CODE	SPECS(mm)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AIS304	AIS316		
Round Channel Side Post	YK-693521	ø50.8*H600* (15*15)	Satin(240#)				
Round Channel Corner Post	YK-693522	ø50.8*H600* (15*15)	Satin(240#)				
Round Channel Middle Post	YK-693523	ø50.8*H600* (15*15)	Satin(240#)				
Dome Top Cap 0 Degree	YK-93524	ø50.8*1.5* (15*15)	Satin(240#)				
Dome Top Cap 90 Degree	YK-93525	ø50.8*1.5* (15*15)	Satin(240#)				
Dome Top Cap 180 Degree	YK-93526	ø50.8*1.5* (15*15)	Satin(240#)				
Rubber For Glass(9.76~10)	YK-935A	15*18*10	Black/Clear				
Rubber For Glass(11.76~12)	YK-935A	15*18*12	Black/Clear				
Round Base Cover	YK-9477	Dia:42.4*T1.5	Satin(240#)				
Round Base Plate	YK-9525	Dia:42.4*T6.0	Satin(240#)				
Round Base Plate	YK-9498	Dia:42.4*T6.0	Satin(240#)				
⑪ Mounted Bolt	YK-9488	M8*100	Satin(240#)				

H:1100/1200MM Round Channel Post System(NEW)


- ▶ Dia:50.8*H:1100MM Round Channel Pipe Post.
- ▶ The slot is 15*15mm and top cap can be dome and flat .
- ▶ It can be hold tempered safety glass such as 10mm,12mm,15mm.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the glass fence of swim pool, balcony, deck, etc.



DESCRIPTION	CODE	SPECS(mm)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AIS304	AIS316		
Side Round Channel Post	YK-693524	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Corner Round Channel Post	YK-693525	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Middle Round Channel Post	YK-693526	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Side Round Channel Post -100mm inground	YK-693524	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Corner Round Channel Post -100mm inground	YK-693525	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Middle Round Channel Post -100mm inground	YK-693526	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Round Dome Top Cap	YK-9384	Dia:50.8*T1.5	Satin(240#)				
Round Flat Top Cap	YK-9384A	Dia:50.8*T1.5	Satin(240#)				
Rubber For Glass(9.76~10)	YK-935A	15*15*10	Black/Clear				
Rubber For Glass(11.76~12)	YK-935A	15*15*12	Black/Clear				
Rubber For Glass(13~14.76)	YK-935A2	15*15*15	Black/Clear				
Round Base Cover	YK-9477	Dia:42.4*T1.5	Satin(240#)				
Round Base Plate	YK-9498	Dia:42.4*T6.0	Satin(240#)				
Mounted Bolt	YK-9488	M8*100	Satin(240#)				

H:1100/1200MM Square Channel Post System(NEW)


- ▶ Dia:50.8*H:1100MM Square Channel Pipe Post.
- ▶ The slot is 15*15mm and top cap can be dome and flat .
- ▶ It can be hold tempered safety glass such as 10mm,12mm,15mm.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the glass fence of swim pool, balcony, deck, etc.



DESCRIPTION	CODE	SPECS(mm)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISI304	AISI316		
Side Square Channel Post	YK-693527	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Corner Square Channel Post	YK-693528	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Middle Square Channel Post	YK-693529	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Side Square Channel Post -100mm inground	YK-693527	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Corner Square Channel Post -100mm inground	YK-693528	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Middle Square Channel Post -100mm inground	YK-693529	Dia:50.8*T1.5*(15*15)	Satin(240#)				
Square Flat Top Cap	YK-9407A	Dia:50.8*T1.5	Satin(240#)				
Square Base Cover	YK-9508	Dia:50.8*T1.5	Satin(240#)				
Rubber For Glass(9.76~10)	YK-935A	15*15*10	Black/Clear				
Rubber For Glass(11.76~12)	YK-935A	15*15*12	Black/Clear				
Rubber For Glass(13~14.76)	YK-935A2	15*15*15	Black/Clear				
Square Base Plate	YK-9507A	Dia:42.4*T6.0	Satin(240#)				
Square Base Plate	YK-95250	Dia:42.4*T6.0	Satin(240#)				
Mounted Bolt	YK-9488	M8*100	Satin(240#)				

Semi Glass Fence Spigot System(Round/Square Spigots)


- ▶ The round(Dia:50mm) and square(48*48mm) shape spigot.
- ▶ It should hold tempered safety glass of 10mm,12mm,15mm thickness.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the glass fence of swim pool, balcony, deck, etc.
- ▶ The spigot height is: 160mm/180mm/260mm/280mm with/without base plate and cover.



DESCRIPTION	CODE	SPECS	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISI304	AISI316		
Round Short Spigot	YK-9527	Dia:50*L180	Satin(240#)				
Round Long Spigot -100mm into ground	YK-9529A	Dia:50*L280	Satin(240#)				
Square Short Spigot	YK-9527E1	Dia 50*50*L180	Satin(240#)				
Square Long Spigot -100mm into ground	YK-9527A	Dia 50*50*L280	Satin(240#)				
Square Corner Short Spigot	YK-9527D	Dia 50*50*L180	Satin(240#)				
Round Spigot Base Cover	YK-9478	Dia:50*1.5	Satin(240#)				
Square Spigot Base Cover	YK-9508	Dia:50*1.5	Satin(240#)				
Spigot Base Bolt	YK-9488	M8*100	Satin(240#)				

Glass Clamp Round Post Railing(6-8mm Thickness Glass)


- ▶ Dia:42.4/50.8*H:1050/1100/1200MM glass clamp post.
- ▶ The glass clamp is D shape with measure:63*45*28mm .
- ▶ It can be hold tempered safety glass from 6~8mm thickness.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the glass fence of swim pool, balcony, deck, etc.



DESCRIPTION	CODE	SPECS	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISI304	AISI316		
D Glass Clamp Side Post With Cover and Base Plate	YK-693530(S)	Dia:42.4*T1.5*1050	Satin(240#)				
D Glass Clamp Side Post Without Cover and Base Plate	YK-693530(S)	Dia:42.4*T1.5*1150	Satin(240#)				
D Glass Clamp Corner Post With Cover and Base Plate	YK-693531(S)	Dia:42.4*T1.5*1050	Satin(240#)				
D Glass Clamp Corner Post Without Cover and Base Plate	YK-693531(S)	Dia:42.4*T1.5*1150	Satin(240#)				
D Glass Clamp Middle Post With Cover and Base Plate	YK-693532(S)	Dia:42.4*T1.5*1050	Satin(240#)				
D Glass Clamp Middle Post Without Cover and Base Plate	YK-693532(S)	Dia:42.4*T1.5*1150	Satin(240#)				
Round Flat Top Cap	YK-9384A	Dia:42.4*T1.5	Satin(240#)				
Round Dome Top Cap	YK-9384	Dia:42.4*T1.5	Satin(240#)				
Round Base Cover	YK-9477	Dia:42.4*T1.5	Satin(240#)				
Round Base Plate	YK-9498	Dia:42.4*T1.5	Satin(240#)				
Round Base Plate	YK-9525	Dia:42.4*T1.5	Satin(240#)				
Base Bolt	YK-9488	M8*100	Satin(240#)				

Glass Clamp Round Post Railing(8-12mm Thickness Glass)


- ▶ Dia:42.4/50.8*H:1050/1100/1200MM glass clamp post.
- ▶ The glass clamp is D shape with measure:63*45*28mm .
- ▶ It can be hold tempered safety glass from 8~12mm thickness.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the glass fence of swim pool, balcony, deck, etc.



DESCRIPTION	CODE	SPECS	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISI304	AISI316		
D Glass Clamp Side Post With Cover and Base Plate	YK-693530	Dia:42.4*T1.5*1050	Satin(240#)				
D Glass Clamp Side Post Without Cover and Base Plate	YK-693530	Dia:42.4*T1.5*1150	Satin(240#)				
D Glass Clamp Corner Post With Cover and Base Plate	YK-693531	Dia:42.4*T1.5*1050	Satin(240#)				
D Glass Clamp Corner Post Without Cover and Base Plate	YK-693531	Dia:42.4*T1.5*1150	Satin(240#)				
D Glass Clamp Middle Post With Cover and Base Plate	YK-693532	Dia:42.4*T1.5*1050	Satin(240#)				
D Glass Clamp Middle Post Without Cover and Base Plate	YK-693532	Dia:42.4*T1.5*1150	Satin(240#)				
Round Flat Top Cap	YK-9384A	Dia:42.4*T1.5	Satin(240#)				
Round Dome Top Cap	YK-9384	Dia:42.4*T1.5	Satin(240#)				
Round Base Cover	YK-9477	Dia:42.4*T1.5	Satin(240#)				
Round Base Plate	YK-9498	Dia:42.4*T6	Satin(240#)				
Round Base Plate	YK-9525	Dia:42.4*T6	Satin(240#)				
Base Bolt	YK-9488	M8*100	Satin(240#)				

Glass Clamp Square Post Railing(6-8mm Thickness Glass)


- ▶ Square pipe:40*40* H:1050/1150/MM glass clamp post.
- ▶ The glass clamp is square shape with measure:45*45*22mm .
- ▶ It can be hold tempered safety glass from 6~8mm thickness.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the glass fence of swim pool, balcony, deck, etc.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISI304	AISI316		
Sq-Glass Clamp Side Post With Cover and Base Plate	YK-693533(S)	40*40*T1.5*1050	Satin(240#)				
	YK-693533(S)	40*40*T1.5*1150	Satin(240#)				
Sq-Glass Clamp Corner Post With Cover and Base Plate	YK-693534(S)	40*40*T1.5*1050	Satin(240#)				
	YK-693534(S)	40*40*T1.5*1150	Satin(240#)				
Sq-Glass Clamp Middle Post With Cover and Base Plate	YK-693535(S)	40*40*T1.5*1050	Satin(240#)				
	YK-693535(S)	40*40*T1.5*1150	Satin(240#)				
Sq-Glass Clamp Side Post Without Cover and Base Plate	YK-693533(S)	40*40*T1.5*1050	Satin(240#)				
	YK-693533(S)	40*40*T1.5*1150	Satin(240#)				
Sq-Glass Clamp Corner Post Without Cover and Base Plate	YK-693534(S)	40*40*T1.5*1050	Satin(240#)				
	YK-693534(S)	40*40*T1.5*1150	Satin(240#)				
Sq-Glass Clamp Middle Post Without Cover and Base Plate	YK-693535(S)	40*40*T1.5*1050	Satin(240#)				
	YK-693535(S)	40*40*T1.5*1150	Satin(240#)				
Square Flat Top Cap	YK-9407A	40*40*T1.5	Satin(240#)				
Square Base Cover	YK-9508	40*40*T6	Satin(240#)				
Square Base Plate	YK-9507A	40*40*T1.5	Satin(240#)				
Square Base Plate	YK-95250	40*40*T6	Satin(240#)				
Base Bolt	YK-9488	M8*100	Satin(240#)				

Glass Clamp Square Post Railing(8-12mm Thickness Glass)


- ▶ Square pipe:40*40* H:1050/1150/MM glass clamp post.
- ▶ The glass clamp is square shape with measure:55*55*28mm .
- ▶ It can be hold tempered safety glass from 8~12mm thickness.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the glass fence of swim pool, balcony, deck, etc.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISI304	AISI316		
Sq-Glass Clamp Side Post With Cover and Base Plate	YK-693533	40*40*T1.5*1050	Satin(240#)				
	YK-693533	40*40*T1.5*1150	Satin(240#)				
Sq-Glass Clamp Corner Post With Cover and Base Plate	YK-693534	40*40*T1.5*1050	Satin(240#)				
	YK-693534	40*40*T1.5*1150	Satin(240#)				
Sq-Glass Clamp Middle Post With Cover and Base Plate	YK-693535	40*40*T1.5*1050	Satin(240#)				
	YK-693535	40*40*T1.5*1150	Satin(240#)				
Sq-Glass Clamp Side Post Without Cover and Base Plate	YK-693533	40*40*T1.5*1050	Satin(240#)				
	YK-693533	40*40*T1.5*1150	Satin(240#)				
Sq-Glass Clamp Corner Post Without Cover and Base Plate	YK-693534	40*40*T1.5*1050	Satin(240#)				
	YK-693534	40*40*T1.5*1150	Satin(240#)				
Sq-Glass Clamp Middle Post Without Cover and Base Plate	YK-693535	40*40*T1.5*1050	Satin(240#)				
	YK-693535	40*40*T1.5*1150	Satin(240#)				
Square Flat Top Cap	YK-9407A	40*40*T1.5	Satin(240#)				
Square Base Cover	YK-9508	40*40*T6	Satin(240#)				
Square Base Plate	YK-9507A	40*40*T1.5	Satin(240#)				
Square Base Plate	YK-95250	40*40*T6	Satin(240#)				
Base Bolt	YK-9488	M8*100	Satin(240#)				

Tempered Safety Glass Panel

- ▶ Color: Clear/Ex-clear/Green/Blue/Black/Grey.
- ▶ Normally the 10/12/15mm thickness tempered glass as glass fence .
- ▶ The glass standard height is: 1050/1150/1200mm in stock panels for your choice.
- ▶ You can choose the glass fence with hole or without hole as the glass fittings required.
- ▶ The glass hole is dia:15mm and the distance of hole center to glass edge is: 150mm as standard.
- ▶ Our glass panels have been polished edge with 3mm facet and safety corner for protect hurt people.



DESCRIPTION	CODE	SPECS	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				With Hole	Wi-out Hole		
Tempered Safty Glass Polished Edge Safty Corner Seperate Carton Packing Each With/Without Holes	G10501001	1050*700*10	Clear				
	G10501002	1050*800*10	Clear				
	G10501003	1050*900*10	Clear				
	G10501004	1050*1000*10	Clear				
	G10501005	1050*1200*10	Clear				
	G10501201	1050*700*12	Clear				
	G10501202	1050*800*12	Clear				
	G10501203	1050*900*12	Clear				
	G10501204	1050*1000*12	Clear				
	G10501205	1050*1200*12	Clear				
	G10501501	1050*700*15	Clear				
	G10501502	1050*800*15	Clear				
	G10501503	1050*900*15	Clear				
	G10501504	1050*1000*15	Clear				
	G10501505	1050*1200*15	Clear				
	G11001001	1150*700*10	Clear				
	G11001002	1150*800*10	Clear				
	G11001003	1150*900*10	Clear				
	G11001004	1150*1000*10	Clear				
	G11001005	1150*1200*10	Clear				
	G11001201	1150*700*12	Clear				
	G11001202	1150*800*12	Clear				
	G11001203	1150*900*12	Clear				
	G11001204	1150*1000*12	Clear				
	G11001205	1150*1200*12	Clear				
	G11001501	1150*700*15	Clear				
	G11001502	1150*800*15	Clear				
	G11001503	1150*900*15	Clear				
	G11001504	1150*1000*15	Clear				
	G11001505	1150*1200*15	Clear				

D/Square Shape Glass Clamp System


- ▶ D shape glass clamp size: 63*45*28mm and 50*40*22mm.
- ▶ Square shape glass clamp size:55*55*28mm and 45*45*22mm .
- ▶ They can hold the glass for 6mm, 8mm, 10mm, 12mm with different U rubber.
- ▶ Our stand glass clamp has flat base, curved base for 38.1mm, 42.4mm, 50.8mm in stock.
- ▶ As different requirements at site, the glass clamp can be used at 0degree, 90degree and 180degree.
- ▶ Our big glass clamp for 12mm thickness and small one for 8mm glass can be no hole in the glass panel.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISB04	AISB16		
D Shape Glass Clamp-Flat Base	YK-9363	63*45*28*(8-12)	Satin(240#)				
Small D-Shape Glass Clamp-Flat	YK-9363S	50*40*22*(6-8)	Satin(240#)				
D Shape Glass Clamp-Dia:38.1	YK-9364-38.1	63*45*28*(8-12)	Satin(240#)				
D Shape Glass Clamp-Dia:42.4	YK-9364-42.4	63*45*28*(8-12)	Satin(240#)				
D Shape Glass Clamp-Dia:50.8	YK-9364-50.8	63*45*28*(8-12)	Satin(240#)				
Small D-Glass Clamp-Dia:38.1	YK-9364S-38.1	50*40*22*(6-8)	Satin(240#)				
Small D-Glass Clamp-Dia:42.4	YK-9364S-42.4	50*40*22*(6-8)	Satin(240#)				
Small D-Glass Clamp-Dia:50.8	YK-9364S-50.8	50*40*22*(6-8)	Satin(240#)				
Sq-Glass Clamp-Flat Base	YK-9371	55*55*28*(8-12)	Satin(240#)				
Small Sq-Glass Clamp-Flat Base	YK-9371S	45*45*22*(6-8)	Satin(240#)				
Square Glass Clamp-Dia:38.1	YK-9370-38.1	55*55*28*(8-12)	Satin(240#)				
Square Glass Clamp-Dia:42.4	YK-9370-42.4	55*55*28*(8-12)	Satin(240#)				
Square Glass Clamp-Dia:50.8	YK-9370-50.8	55*55*28*(8-12)	Satin(240#)				
Small Sq-Glass Clamp-Dia:38.1	YK-9370S-38.1	45*45*22*(6-8)	Satin(240#)				
Small Sq-Glass Clamp-Dia:42.4	YK-9370S-42.4	45*45*22*(6-8)	Satin(240#)				
Small Sq-Glass Clamp-Dia:50.8	YK-9370S-50.8	45*45*22*(6-8)	Satin(240#)				
D Shape Base Rubber	YK-93631	EPDM	Black				
U Shape Rubber	YK-93632	EPDM	Black				
Small Base Rubber	YK-93631S	EPDM	Black				
Small U Shape Rubber	YK-93632S	EPDM	Black				
Square Base Rubber	YK-93701	EPDM	Black				
U Shape Rubber	YK-93702	EPDM	Black				
Small Base Rubber	YK-93701S	EPDM	Black				
Small U Shape Rubber	YK-93702S	EPDM	Black				

Glass Fence Gate System


- ▶ The glass fence gate with hinge and lock system.
- ▶ For tempered safety glass with thickness of 10mm, 12mm .
- ▶ It has three types with 0/90/180degree for wall-to-glass or glass-to-glass.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish for choice.
- ▶ It can hold 45kgs door weight and the door can be automatically turn back when open as the designed degree.



DESCRIPTION	CODE	SPECS	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISB04	AISB16		
90° Glass Hinge (Wall to Glass)	YK-2005	88*53.5*6	Satin(240#)				
90° Glass Hinge (Glass to Glass)	YK-2008	88*53.5*6	Satin(240#)				
180° Glass Hinge (Glass to Glass)	YK-2014	88*53.5*6	Satin(240#)				
Glass Top Lock	YK-2221	44*44*6	Satin(240#)				
Glass Holder For Wood	YK-2223	91*44*6	Satin(240#)				

Round Channel Pipe And Fittings Railing System


- ▶ Round channel pipe with fittings railing system for glass is very simple and easy.
- ▶ The thickness of tempered safety glass is available for 10mm, 12mm, 15mm, 19mm .
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish for choice.
- ▶ It is suitable to be installed onto the stair or balcony railing without any post inside or outside buildings.
- ▶ The bottom is side mounted with two different kind of fittings to wood or concreet with M16*100/150mm bolts.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISB04	AISB16		
Top Glass Handrail Pipe	YK-9352	42.4*1.5*(24*24)	Satin(240#)				
Middle Channel Connector	YK-9493	42.4*1.5*(24*24)	Satin(240#)				
End Channel Cap	YK-9494	42.4*1.5*(24*24)	Satin(240#)				
Rubber For Glass(8~10.76)	YK-935A	24*30*8	Black/Clear				
Rubber For Glass(12~16.76)	YK-935A2	24*30*12	Black/Clear				
Rubber For Glass(17~18.76)	YK-935A3	24*30*17	Black/Clear				
Rubber For Glass(19-21.76)	YK-935A4	24*30*21	Black/Clear				
Glass Holder(8-16mm)	YK-95331	ø50*H:25*M16	Satin(240#)				
	YK-95332	ø50*H:25*M16	Satin(240#)				
Glass Mount Holder	YK-95333	ø50*H:120*M16	Satin(240#)				

Round Pipe Guardrail System


- ▶ The stainless steel guard railing at short height over floor or concret .
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ The guardrail can be make longer with more middle connector with two section pipe .
- ▶ It is suitable to be installed at car park, supermarket, wine club, balcony top as guardrail.
- ▶ It is a simple and mount- easy suit with two end bracket and several middle cross pipe brackets .
- ▶ The round stainless steel pipe can be dia:42.4/50.8/63.5mm with different thickness for your choice.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AIS B04	AIS B16		
Round Pipe	YK-9489	Dia: 50.8*1.2	Satin(240#)				
		Dia: 50.8*1.5	Satin(240#)				
		Dia: 50.8*2.0	Satin(240#)				
Round Middle Bracket	YK-9474	Dia:50.8	Satin(240#)				
Round Middle Connector	YK-9493A	Dia:50.8	Satin(240#)				
Round End Bracket	YK-9374	Dia:50.8	Satin(240#)				
Round End Dome Cap	YK-9384	Dia:50.8	Satin(240#)				
Round End Flat Cap	YK-9384A	Dia:50.8	Satin(240#)				

Square Pipe Guardrail System

- ▶ The square stainless steel guard railing at short height over floor.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ The guardrail can be make longer with square middle connector with two section pipe .
- ▶ It is suitable to be installed at car park, supermarket, wine club, balcony top as guardrail.
- ▶ It is a simple and mount- easy suit with two end bracket and several middle cross pipe brackets .
- ▶ The square stainless steel pipe can be 40*40mm 50*50mm with different thickness for your choice.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AIS B04	AIS B16		
Square Pipe	YK-9489A	40*40*1.2	Satin(240#)				
	YK-9489A	40*40*1.5	Satin(240#)				
	YK-9489A	50*50*1.2	Satin(240#)				
	YK-9489A	50*50*1.5	Satin(240#)				
Square Middle Bracket	YK-94740	40*40	Satin(240#)				
	YK-94740	50*50	Satin(240#)				
Square Middle Connector	YK-9493A 0	40*40	Satin(240#)				
	YK-9493A 0	50*50	Satin(240#)				
Square End Bracket	YK-93740	40*40	Satin(240#)				
	YK-93740	50*50	Satin(240#)				
Square End Cap	YK-9407A	40*40	Satin(240#)				
	YK-9407A	50*50	Satin(240#)				

DIY Round Railing System


- ▶ It can be make long railing with more middle connectors .
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed at any public or private railing with lower budget.
- ▶ The DIY round railing can be very easy and simple install with pipe and necessary connectors.
- ▶ The necessary accessories has included flange, base cover, elbow, three or four way connector, etc .
- ▶ The round stainless steel pipe can be dia:42.4/50.8/63.5mm with different thickness for your choice.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISI304	AISI316		
Round Top Support	YK-9495	50.8*1.5	Satin(240#)				
Round Middle Connector	YK-9493A	50.8*1.5	Satin(240#)				
90 Round Elbow	YK-9354	50.8*1.5	Satin(240#)				
90 Straight Elbow	YK-9355	50.8*1.5	Satin(240#)				
Active Elbow	YK-9444	50.8*1.5	Satin(240#)				
Three Way Connector	YK-9356	50.8*1.5	Satin(240#)				
Four Way Connector	YK-9360	50.8*1.5	Satin(240#)				
Round Stand Base	YK-9411	50.8*1.5	Satin(240#)				
Round Base Plate 1	YK-9498	50.8*1.5	Satin(240#)				
Round Base Plate 2	YK-9525	50.8*1.5	Satin(240#)				
Base Plate Cover 1	YK-9477	50.8*1.5	Satin(240#)				
Base Plate Cover 2	YK-9481	50.8*1.5	Satin(240#)				

DIY Sqaure Railing System


- ▶ The railing can be make long railing with more middle connectors .
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed at any public or private railing with lower budget.
- ▶ The DIY square railing can be very easy and simple install with pipe and necessary connectors.
- ▶ The necessary accessories has included square flange, base cover, elbow, three/ four way connector .
- ▶ The square stainless steel pipe can be 40*40mm and 50*50mm with different thickness for your choice.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISI304	AISI316		
Square Top Support	YK-95090	40*40*1.5	Satin(240#)				
Square Middle Connector	YK-9493A0	40*40*1.5	Satin(240#)				
Square Elbow	YK-9506	40*40*1.5	Satin(240#)				
Square Active Elbow	YK-95100	40*40*1.5	Satin(240#)				
Sqaure Three Way Connector	YK-93560	40*40*1.5	Satin(240#)				
Square Four Way Connector	YK-93600	40*40*1.5	Satin(240#)				
Sqaure Stand Base	YK-9507	40*40*1.5	Satin(240#)				
Square Base Plate 1	YK-95250	40*40*1.5	Satin(240#)				
Square Base Plate 2	YK-9507A	40*40*1.5	Satin(240#)				
Square Base Cover	YK-9508	40*40*1.5	Satin(240#)				

Floor Drain(NEW)

- ▶ The floor drain has three size: W:90*D:21*L:900/1000/1200mm.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ The body is combined by four parts: top cover, U channel, base pipe and two end covers
- ▶ The floor drain is mainly used for bathroom or wine club for leak water or beer or drinkery.
- ▶ The oval holes over the top cover plate can guarantee leaking water but proof hairline or others rubbish jam..
- ▶ We offer some separate fittings for connection into different shape or long meter at site with quick installation.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISB304	AISB16		
Floor Drain Body	YK-9700	L:900*W90*D21	Satin(240#)				
	YK-9700	L:1000*W90*D21	Satin(240#)				
	YK-9700	L:1200*W90*D21	Satin(240#)				
Floor Drain End Cap	YK-9704	W9*D21	Satin(240#)				
Floor Drain Middle Connector	YK-9703	W9*D21	Satin(240#)				
Floor Drain Corner Elbow	YK-9706	W9*D21	Satin(240#)				

Stair Round Grab Railing System

- ▶ The round pipe size size: 42.4/50.8/63.5mm with 1.2/1.5/2.0mm.
- ▶ The round stair garb railing is combined by round tube and brackets.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the up and down stair for people grab railing to wall.
- ▶ As individual demands, we offer different brackets with fixed or active top saddle for you.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISB304	AISB16		
Round Pipe	YK-9489	Dia: 42.4*1.2	Satin(240#)				
	YK-9489	Dia: 42.4*1.5	Satin(240#)				
	YK-9489	Dia: 42.4*2.0	Satin(240#)				
	YK-9489	Dia: 50.8*1.2	Satin(240#)				
	YK-9489	Dia: 50.8*1.5	Satin(240#)				
	YK-9489	Dia: 50.8*2.0	Satin(240#)				
Round Middle Connector	YK-9493A	50.8*1.5	Satin(240#)				
Wall Moon Shape Bracket	YK-9309	ø53*H:80*50	Satin(240#)				
Wall Curved Shape Bracket	YK-9310	ø53*H:80*50	Satin(240#)				
Wall Cross Pipe Bracket	YK-9438	65*81*72	Satin(240#)				
To-Wall L Shape Rod Bracket	YK-9453	60*80*22	Satin(240#)				
To-Wall No Hole Rod Bracket	YK-9456	75*50*60	Satin(240#)				
Rod Rod Bracket	YK-9375	70*60*63	Satin(240#)				

Stair Square Grab Railing System


- ▶ The square stair garb railing is combined by square tube and brackets.
- ▶ The square pipe size size: 40*40mm and 50*50mm with 1.2/1.5/2.0mm.
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed onto the up and down stair for people grab railing to wall.
- ▶ As individual demands, we offer different brackets with fixed or active top saddle for you.



DESCRIPTION	CODE	SPECS(MM)	FINISH	UNIT PRICE(USD/GZ)		WEIGHT	PACKING
				AISI304	AISI316		
Square Pipe	YK-9489	40*40*1.2	Satin(240#)				
	YK-9489	40*40*1.5	Satin(240#)				
	YK-9489	50*50*1.2	Satin(240#)				
	YK-9489	50*50*1.5	Satin(240#)				
Square Middle Connector	YK-9493A 0	40*40	Satin(240#)				
	YK-9493A 0	50*50	Satin(240#)				
Wall No Hole Rod Bracket	YK-9451	60*80*22	Satin(240#)				
Wall L Shape Rod Bracket	YK-9454	60*80*22	Satin(240#)				
Wall No Hole Rod Bracket	YK-9457	75*50*60	Satin(240#)				
Rod Rod Bracket	YK-9534	80*95*20	Satin(240#)				
Square Bar Bracket	YK-9536	60*48*20	Satin(240#)				
Square End Cap	YK-9407A	40*40	Satin(240#)				
	YK-9407A	50*50	Satin(240#)				

DIY Round Railing System

- ▶ It can be make long railing with more middle connectors .
- ▶ The material can be stainless steel 304 and 316 with satin and mirror finish.
- ▶ It is suitable to be installed at any public or private railing with lower budget.
- ▶ The DIY round railing can be very easy and simple install with pipe and necessary connectors.
- ▶ The necessary accessories has included flange, base cover, elbow, three or four way connector, etc .
- ▶ The round stainless steel pipe can be dia:42.4/50.8/63.5mm with different thickness for your choice.



Code	Name	Measure(mm)	Quantity (M)	For Glass (mm)	FINISH	304 Price (USD/FOB)	316 Price (USD/FOB)	Remarks
CODE-01	Steel Base Profile	W 26*H35*T4 (18*31)	300	T:10	Satin			
CODE-02	Steel Base Profile	W 30*H38*T5 (20*33)	300	T:12	Satin			
CODE-03	Steel Base Profile	W 33*H40*T5 (23*35)	300	T:15	Black			
CODE-04	Steel Base Profile	W 37*H45*T5 (27*40)	300	T:19	Black			
CODE-05	Steel Base Profile	W 39*H45*T5 (29*40)	300	T:21	Satin			